




Standard and custom manufactured bellows and covers, sewn, molded, welded, into round, square or rectangular shapes with collars or flanged ends.

Unit 9, 620-632 Botany Rd Alexandria
NSW 2015 Australia
Tel: +61 (02) 9669 1650 Fax: +61 (02) 9669 5170
E-mail: sales@bellowflex.com.au

PROTECT YOUR INVESTMENT WITH BELLOWFLEX



SLIDE COVER BELLOW SPECIFICATION SHEET

ORDERING SPECIFICATIONS

Your Ref:

External Dimensions	L x H	x
Internal Dimensions	l x h	x
Extended Length Excluding Cuffs	A1.	
Closed Length Excluding Cuffs	A2.	
Specify End Mount Details Required		
Bellow to suit Rail Type		
Material Type		
Special Requirements		

CUSTOMER DETAILS

DATE:

Company Name: _____


Contact Name: _____

Email: _____

Address: _____

Phone: _____ Fax: _____

Qty:



- | | | |
|---|--------------------------------------|---------------------------------------|
| <input type="checkbox"/> Indoor Use | <input type="checkbox"/> Outdoor Use | <input type="checkbox"/> Humidity |
| <input type="checkbox"/> Dryness | <input type="checkbox"/> Heat | <input type="checkbox"/> Dust / Sand |
| <input type="checkbox"/> Welding Splashes | <input type="checkbox"/> Saltwater | <input type="checkbox"/> Rust Action |
| <input type="checkbox"/> Abrasive Action | <input type="checkbox"/> Magnetic | <input type="checkbox"/> Vacuum |
| <input type="checkbox"/> Chips Large | <input type="checkbox"/> Chips Small | <input type="checkbox"/> Coolant Type |
| <input type="checkbox"/> Oil Type | | |

Working Temperature (In °C)

Min Max Average

SPECIAL FEATURES AVAILABLE ON REQUEST

- Internal Support Rings For Horizontal Application
- External Tie Straps for Vertical Application
- Binder on Convolution Joins, Inside & Out
- Double Stitch on Cuff Connections
- Flange Connections, One End / Both Ends